



## How exhaustive are out of hospital cardiac arrest registers? The example of the Northern French Alps Cardiac Arrest Registry

Dominique Savary, Cécile Ricard, Adrien Drouet, Arnaud Gaillard, Guillaume Geri, Marc Fadel, Jean-Christophe Richard, Guillaume Debaty, Alexis Descatha

### ► To cite this version:

Dominique Savary, Cécile Ricard, Adrien Drouet, Arnaud Gaillard, Guillaume Geri, et al.. How exhaustive are out of hospital cardiac arrest registers? The example of the Northern French Alps Cardiac Arrest Registry. *Resuscitation*, 2020, 148, pp.57-58. 10.1016/j.resuscitation.2020.01.002 . hal-02456070

**HAL Id: hal-02456070**

**<https://univ-angers.hal.science/hal-02456070>**

Submitted on 25 May 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Manuscript Number:

Title: How exhaustive are out of Hospital cardiac arrest registers? The example of the Northern French Alps Cardiac Arrest Registry

Article Type: Letter to the Editor

Keywords: cardiac arrest registers; completeness

Corresponding Author: Dr. Dominique SAVARY, M.D.

Corresponding Author's Institution: Annecy Genevois

First Author: Dominique SAVARY, M.D.

Order of Authors: Dominique SAVARY, M.D.; Cecile RICARD; Adrien DROUET, MD; Arnaud GAILLARD, MD; Guillaume GERI, MD PhD; Marc FADEL, MD PhD; Jean Christophe RICHARD, MD PhD; Guillaume DEBATY, MD PhD; Alexis DESCATHA, MD PhD

Abstract:

Cover Letter

for « How exhaustive are out of hospital cardiac arrest registers? The example of the Northern French Alps Cardiac Arrest Registry ».

Dear Editor,

We are pleased to submit a Letter to the Editor in consideration for publication in RESUSCITATION. One of the most important requirements for cardiac arrest registries is their completeness. We present the example of the Northern French Alps Cardiac Arrest Registry. All authors have made substantial contributions to the conception and design of the study, the acquisition of data and the drafting of the letter; they all gave their final approval of the version to be submitted. The letter has not been published previously and is not under consideration elsewhere.

We thank you in advance for the attention you will give to our manuscript.

Sincerely yours

Dominique Savary, MD

## How exhaustive are out of Hospital cardiac arrest registers? The example of the Northern French Alps Cardiac Arrest Registry

Dominique Savary(1), Cécile Ricard(2), Adrien Drouet(3), Arnaud Gaillard(4), Guillaume Geri(5), Marc Fadel(6), Jean Christophe Richard (3) Guillaume Debaty(7), Alexis Descatha(8)

- 1- Emergency department, Angers university Hospital, Angers, France
- 2- Annecy hospital, Annecy France
- 3- SAMU 74, Emergency and ICU department, General hospital, Annecy, France
- 4- Fire département 74, SSSM, Annecy, France
- 5- Intensive care unit, Ambroise Paré Hospital, Paris, France
- 6- Occupational Health Unit, Poincaré University Hospital, AP-HP (Paris Hospital) UVSQ, Garches, France
- 7- SAMU 38, Pôle Urgences Médecine Aiguë Université Grenoble Alpes, Grenoble, France
- 8- Angers University Inserm, U1085 IREST, Ester - Angers Hospital, Centre Antipoison et de Toxicovigilance du Grand Ouest, Angers, France

Corresponding author:

Dr. Dominique SAVARY  
Chef de service des Urgences  
Département de Médecine d'Urgences  
Tel : +33 6 72 14 04 68  
Centre Hospitalier Universitaire  
4 rue Larrey 49100 ANGERS  
[dsavary74@gmail.com](mailto:dsavary74@gmail.com)

Manuscript:

Improving management and survival of out-of-Hospital Cardiac Arrest (OHCA) is a major public health issue (1). It has become essential to use standardized variables and implement registries to collect high quality data in the real-world setting (2). Besides internal validity, one of the most important requirements for registries is their completeness. We aimed to compare the completeness of the Northern French Alps Cardiac Arrest Registry (RENAU AC) with data from two other emergency systems.

From January 1st, 2016 to April 30th, 2016, data from one of the three counties (Haute-Savoie) of the Northern French Alps Cardiac Arrest Registry ("Register") were extracted. Manual identification allowed to link those data with the ones from the Emergency Medical Technicians from the Fire Department ("Firemen") and the ones from the Emergency Medical System from the prehospital medical system ("EMS"). Data were anonymized for the analyses. A proportional Venn diagram was used to visualize the overlap and differences between data sets (3). During the study period, 351 OHCA were included. Figure 1 shows the overlap between the data set. The completeness of the RENAU AC registry was estimated at

81,8% (287/351). Even after 10 years of existence, the registry accounts for more than 80% of completeness compared to the two other data sources.

This study is limited by the short period of time considered and the lack of information on the type of cardiac arrest, as it was not available in the "Firemen" and "EMS" data set. Furthermore, the study was focused on one county due to unavailable data in the other counties. However, the annual proportion of recruited cardiac arrest in each county and the practices in the Northern French Alps regarding the management of OHCA do not significantly differ. Some authors also suggested that it is possible to study the completeness of a register only based on a part of its population (4). Moreover, in this example, all centers participated in data collection, which is not always the case in published studies (5).

In conclusion, with less than 20% of missingness, the results produced by the RENAUC register may be reliable. While there may be a potential selection bias due to under-representation of certain cases, such bias should only have a marginal impact on estimates calculated from the register. Factors associated with failure of notification should be considered when using such register.

1-Gräsner JT, Herlitz J, Koster RW, et al (2011). Quality management in resuscitation-towards a European cardiac arrest registry (EuReCa). *Resuscitation*. 82(8):989-94.

2-Shuvy M, Qiu F, Lau G, et al (2019). Temporal trends in sudden cardiac death in Ontario, Canada. *Resuscitation*. 136:1-7.

3-Hulsen T, de Vlieg J, Alkema W (2008). BioVenn - a web application for the comparison and visualization of biological lists using area-proportional Venn diagrams. *BMC Genomics*. 16; 9:488.

4-Strömsöe A, Svensson L, Axelsson ÅB, et al (2013). Validity of reported data in the Swedish Cardiac Arrest Register in selected parts in Sweden. *Resuscitation*. 84(7):952-6

5-Kreutziger, J., & Wenzel, V. (2014). Deutsches Reanimations register. *Der Anaesthesist*, 63(6), 467-469.

Figure




Figure 1. Venn Proportional Diagram (number of cases, EMS= emergency medical system)

Conflicts of interest : none

Accepted manuscript